

Material Safety Data Sheet

MC 8482EL

1. Product and company identification

Material uses	: Industrial applications: Lubricants; grease
Manufacturer	: Metalcote Division of Chemtool Incorporated 801 West Rockton Road Rockton, IL 61072 U.S.A. Tel: +01 815.957.4140 Fax: +01 815.624.0292
Product code	: PUB25030A0
MSDS #	: 1484
Validation date	: 11/2/2011.
In case of emergency	: INFOTRAC U.S. and Canada - 800.535.5053 Outside the U.S. and Canada - +01 352.323.3500

2. Hazards identification

Emergency overview		
Physical state	Solid. [grease]	
Color	Blue.	
Odor	Mild. Petroleum oil	
Signal word	WARNING!	
Hazard statements	CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERI THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.	AL
Precautionary measures	Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.	d
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	Ł
Routes of entry	Dermal contact. Eye contact. Ingestion.	
Potential acute health effect		
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects main be delayed following exposure.	у
Ingestion	No known significant effects or critical hazards.	
Skin	Moderately irritating to the skin. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.	
Eyes	Severely irritating to eyes. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.	
Distance (1) and the second s second second sec		

Potential chronic health effects

2. Hazards identification

Chronic effects	: Contains material that may cause target organ damage, based on animal data.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Target organs	: Contains material which may cause damage to the following organs: upper respiratory tract, skin, eyes.
Over-exposure signs/symp	<u>itoms</u>
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: Adverse symptoms may include the following: irritation redness
Eyes	: Adverse symptoms may include the following: pain or irritation watering redness
Medical conditions aggravated by over- exposure	: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
Mineral oil.	mixture	60-80
Calcium carbonate	471-34-1	7-13
Limestone	1317-65-3	5-10

<u>Canada</u>

Name	CAS number	%
	mixture 471-34-1 1317-65-3	60-80 7-13 5-10

<u>Mexico</u>

						CI	assifi	cation
Name	CAS number	UN number	%	IDLH	н	F	R	
Mineral oil.	mixture	Not available.	60-80	2500 mg/m ³	1	1	0	-
Calcium carbonate	471-34-1	Not available.	7-13	-	2	0	0	-
Limestone	1317-65-3	Not available.	5-10	-	1	0	0	-

4. First aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Flammability of the product	: No specific fire or explosion hazard.
Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6. Accidental release measures

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

United States

Ingredient	Exposure limits
Mineral oil.	 ACGIH TLV (United States, 2/2010). TWA: 5 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hour(s). Form: Mist STEL: 10 mg/m³ 15 minute(s). Form: Mist OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s).
Calcium carbonate	OSHA PEL (United States, 11/2006). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m ³ 8 hour(s). Form: Total dust
Limestone	 OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 10 hour(s). Form: Total OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Respirable fraction

<u>Canada</u>

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceilin	g		
Ingredient	List name	t name ppm mg/m³ Other ppm mg/m³ Other		Other	ther ppm mg/m³ Other			Notations			

8. Exposure controls/personal protection

Limestone	AB 4/2009	-	10	-	-	-	-	-	-	- [3] - [a]
	BC 10/2009	-	3	-	-	-	-	-	-	- [a]
		-	-	-	-	20	-	-	-	-
		-	10	-	-	-	-	-	-	- [b] - [c]
	QC 6/2008	-	10	-	-	-	-	-	-	- [C]
	QC 6/2008	10	41	-	-	-	-	-	-	-
Mineral oil.	US ACGIH 2/2010	-	5	-	-	-	-	-	-	- [d]
	AB 4/2009	-	5	-	-	10	-	-	-	- [d] - [f] - [e] - [e] - [3]
	ON 7/2010	-	5	-	-	10	-	-	-	- [e]
	QC 6/2008	-	5	-	-	10	-	-	-	- [e]
Calcium carbonate	AB 4/2009	-	10	-	-	-	-	-	-	- [3]
	QC 6/2008	-	10	-	-	-	-	-	-	- [c]

[3]Skin sensitization

Form: [a]Respirable dust [b]Total dust [c]Total dust. [d]Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. [e]mist [f]Mist

<u>Mexico</u>

Occupational exposure limits

Ingredient	Expos	ure limits
Mineral oil. Limestone		D10-STPS (Mexico, 9/2000). E-PPT: 5 mg/m ³ 8 hour(s). Form: mist E-CT: 10 mg/m ³ 15 minute(s). Form: mist D10-STPS (Mexico, 9/2000). E-PPT: 10 mg/m ³ 8 hour(s). E-CT: 20 mg/m ³ 15 minute(s).
Consult local authorities for	acceptable exposure lim	ts.
Recommended monitoring procedures	or biological monitoring	ingredients with exposure limits, personal, workplace atmosphere may be required to determine the effectiveness of the ventilation res and/or the necessity to use respiratory protective equipment.
Engineering measures	control worker exposur with exposure limits, us	equirements. Good general ventilation should be sufficient to re to airborne contaminants. If this product contains ingredients se process enclosures, local exhaust ventilation or other keep worker exposure below any recommended or statutory
Hygiene measures	eating, smoking and us techniques should be u	and face thoroughly after handling chemical products, before sing the lavatory and at the end of the working period. Appropriate used to remove potentially contaminated clothing. Wash before reusing. Ensure that eyewash stations and safety showers ation location.
Personal protection		
Respiratory	standard if a risk asses	ir-purifying or air-fed respirator complying with an approved soment indicates this is necessary. Respirator selection must be icipated exposure levels, the hazards of the product and the safe lected respirator.
Hands		pervious gloves complying with an approved standard should be handling chemical products if a risk assessment indicates this is
Eyes		ring with an approved standard should be used when a risk this is necessary to avoid exposure to liquid splashes, mists or
Skin		uipment for the body should be selected based on the task being s involved and should be approved by a specialist before handling
/alidated on 11/2/2011.		5/13

8. Exposure controls/personal protection

Environmental exposure	: Emissions from ventilation or work process equipment should be checked to ensure they
controls	comply with the requirements of environmental protection legislation. In some cases,
	fume scrubbers, filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

_	
Physical state	: Solid. [grease]
Flash point	: Not available.
Auto-ignition temperature	: Not available.
Flammable limits	: Not available.
Color	: Blue.
Odor	: Mild. Petroleum oil
рН	: Not available.
Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Density	: 0.9 g/cm ³
Vapor pressure	: Not available.
Vapor density	: Not available.
Volatility	: Not available.
Evaporation rate	: Not available.
Viscosity	: Not available.
Dispersibility properties	: Not available.
Solubility	: Insoluble in the following materials: cold water and hot water.
Physical/chemical properties comments	: Not available.

10. Stability and reactivity

Chemical stability	: The product is stable.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

United States

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Calcium carbonate Mineral oil.	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	6450 mg/kg >2000 mg/kg >5000 mg/kg	
Conclusion/Summary	: May be irritating to eyes a	and skin.	·	

Chronic toxicity

11. Toxicological information

Conclusion/Summary	: Repeated or prolonged exp	osure to spray or	mist may p	oroduce respira	atory tract irritation
Irritation/Corrosion					
Product/ingredient name	Result	Species	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant Skin - Moderate irritant	Rabbit Rabbit	-	-	
Conclusion/Summary	·	·	·		·
Skin	: No significant irritation expe	ected other than p	ossible me	chanical irritat	ion.
Eyes	: No significant irritation expe	ected other than p	ossible me	chanical irritat	ion.
Respiratory	: Repeated or prolonged exp Pre-existing respiratory disc				
<u>Sensitizer</u>					
Conclusion/Summary					
Skin	: No specific information is a properties of this product. S				sensitizing
Respiratory	: Sensitization not suspected	l for humans.			
Carcinogenicity					
Conclusion/Summary	: There are no data available humans.	e on the preparation	on itself. Ca	arcinogenicity i	not suspected for
Mutagenicity					
Conclusion/Summary	: There are no data available humans.	e on the preparation	on itself. Mu	utagenicity not	suspected for
Teratogenicity					
Conclusion/Summary	: There are no data available humans.	e on the preparation	on itself. Te	ratogenicity n	ot suspected for
Reproductive toxicity					
Conclusion/Summary	: There are no data available humans, according to our o		on itself. No	ot considered t	o be dangerous to
Canada					

Acute toxicity

Product/ingredient name	Result	Species	Dos	e	Exposure
Mineral oil.	LD50 Dermal	Rabbit	>200	0 mg/kg	-
	LD50 Oral	Rat	>500	0 mg/kg	-
Calcium carbonate	LD50 Oral	Rat	6450	mg/kg	-
Conclusion/Summary	: May be irritating to eyes an	id skin.			
Chronic toxicity					
Conclusion/Summary	: Repeated or prolonged exp	posure to spray or	mist may p	oroduce respir	ratory tract irritati
				•	
rritation/Corrosion					
	Result	Species	Score	Exposure	Observation
Product/ingredient name Calcium carbonate	Result Eyes - Severe irritant	Species Rabbit	Score	Exposure	Observation
Product/ingredient name			Score - -	Exposure - -	Observation
Product/ingredient name	Eyes - Severe irritant	Rabbit	Score - -	Exposure - -	Observation - -
Product/ingredient name Calcium carbonate	Eyes - Severe irritant	Rabbit Rabbit	-	-	
Product/ingredient name Calcium carbonate Conclusion/Summary	Eyes - Severe irritant Skin - Moderate irritant	Rabbit Rabbit ected other than p	- - possible me	- - chanical irrita	- - tion.

11. Toxicological information

<u>Sensitizer</u>	
Conclusion/Summary	
Skin	 No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.
Respiratory	: Sensitization not suspected for humans.
Carcinogenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Carcinogenicity not suspected for humans.
Mutagenicity	
Conclusion/Summary	 There are no data available on the preparation itself. Mutagenicity not suspected for humans.
Teratogenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Teratogenicity not suspected for humans.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the preparation itself. Not considered to be dangerous to humans, according to our database.
Mexico	

Acute toxicity

Product/ingredient name	Result	Species	Dos	Ð	Exposure
Calcium carbonate Mineral oil.	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	>200	mg/kg 0 mg/kg 0 mg/kg	- - -
Conclusion/Summary	: May be irritating to eyes a	nd skin.			
Chronic toxicity					
Conclusion/Summary	: Repeated or prolonged ex	posure to spray o	r mist may p	oroduce respi	ratory tract irritation
Irritation/Corrosion					
Product/ingredient name	Result	Score	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant Skin - Moderate irritant	Rabbit Rabbit	-	-	
Conclusion/Summary					
Skin	: No significant irritation exp	pected other than	possible me	chanical irrita	tion.
Eyes	: No significant irritation exp	pected other than	possible me	chanical irrita	tion.
Respiratory	: Repeated or prolonged ex Pre-existing respiratory di				
<u>Sensitizer</u>					
Conclusion/Summary					
Skin	: No specific information is properties of this product.				n sensitizing
Respiratory	: Sensitization not suspecte	ed for humans.			
Carcinogenicity					
	There are no data availab	le en the preparati	on itself. Ca		
Conclusion/Summary	humans.	ie on the preparati		ircinogenicity	not suspected fo
Conclusion/Summary Mutagenicity		ie on the preparati	on itself. Ca	ircinogenicity	not suspected fo
					·

11. Toxicological information

Teratogenicity

Conclusion/Summary

: There are no data available on the preparation itself. Teratogenicity not suspected for humans.

<u>Reproductive toxicity</u> Conclusion/Summary

: There are no data available on the preparation itself. Not considered to be dangerous to humans, according to our database.

12. Ecological information

Ecotoxicity United States

Aquatic ecotoxicity

Aquatic ecotoxicity

: Not readily biodegradable.

Product/ingredient name	Result	Species	Exposure
Calcium carbonate	Acute LC50 >56000000 ug/L Fresh water	Fish - Gambusia affinis - Adult	96 hours
Conclusion/Summary	: There are no data available on the pre	paration itself.	
Persistence/degradability			
Conclusion/Summary	: This product has not been tested for b product is not expected to bioaccumul		

<u>Canada</u>

Aquatic contracty			
Product/ingredient name	Result	Species	Exposure
Calcium carbonate	Acute LC50 >56000000 ug/L Fresh water	Fish - Gambusia affinis - Adult	96 hours
Conclusion/Summary Persistence/degradability	: There are no data available on the pr	eparation itself.	·
Conclusion/Summary	: This product has not been tested for product is not expected to bioaccumu		

Mexico

Aquatic ecotoxicity			
Product/ingredient name	Result	Species	Exposure
Calcium carbonate	Acute LC50 >56000000 ug/L Fresh water	Fish - Gambusia affinis - Adult	96 hours
Conclusion/Summary Persistence/degradability	: There are no data available on the pr	eparation itself.	·
Conclusion/Summary	: This product has not been tested for l product is not expected to bioaccumu		

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a

13. Disposal considerations

safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

15. Regulatory information

United States	
HCS Classification	: Irritating material Target organ effects
U.S. Federal regulations	 TSCA 8(a) PAIR: N-1-naphthylaniline TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.
	SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Calcium carbonate; Limestone SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Calcium carbonate: Immediate (acute) health hazard; Limestone: Immediate (acute) health hazard
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed

15. Regulatory information

DEA List I Chemicals (Precursor Chemicals) DEA List II Chemicals

(Essential Chemicals)

: Not listed

: Not listed

SARA 313

Product name			CAS number	Concentration %		
Form R - Reporting : No listed substance requirements						
Supplier notification : No listed substance						
SARA 313 notifications must not be detached from the l include copying and redistribution of the notice attached State regulations						
Connecticut Carcinogen Reporting	: None of the components are listed.					
Connecticut Hazardous Material Survey	1	None of the compon	ents are listed.			
Florida substances	1	None of the compon	ents are listed.			
Illinois Chemical Safety Act	1	None of the components are listed.				
Illinois Toxic Substances Disclosure to Employee Act	:	None of the compon	ents are listed.			
Louisiana Reporting	:	None of the compon	ents are listed.			
Louisiana Spill	1	None of the compon	ents are listed.			
Massachusetts Spill		None of the components are listed.				
Massachusetts Substances		: The following components are listed: CALCIUM CARBONATE				
Michigan Critical Material	1	: None of the components are listed.				
Minnesota Hazardous Substances	1	: None of the components are listed.				
New Jersey Spill		: None of the components are listed.				
New Jersey Toxic Catastrophe Prevention Act	1	None of the compon	ents are listed.			
New Jersey Hazardous Substances		: The following components are listed: CALCIUM CARBONATE; LIMESTONE				
New York Acutely Hazardous Substances		: None of the components are listed.				
New York Toxic Chemical Release Reporting		: None of the components are listed.				
Pennsylvania RTK Hazardous Substances	:	The following compo	onents are listed: I	IMESTONE		
Rhode Island Hazardous Substances		None of the compon	ents are listed.			

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive		Maximum acceptable dosage level
Silica, crystalline - Quartz (SiO2)	Yes.	No.	No.	No.

United States inventory : Not determined. (TSCA 8b)

Canada

15. Regulatory information

: Class D-2A: Material causing other toxic effects (Very toxic).	
: None of the components are listed.	
: None of the components are listed.	
: Not determined.	
	None of the components are listed.None of the components are listed.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico Classification		Health 2 0 Reactivity Special
International regulations		
International lists	:	Australia inventory (AICS): Not determined. China inventory (IECSC): All components are listed or exempted. Japan inventory: Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or exempted. Europe inventory : Not determined.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule Il Chemicals	:	Not listed
Chemical Weapons Convention List Schedule	:	Not listed

16. Other information . .

III Chemicals

Label requirements	: CAUSES EYE IRRITATION THAT MAY CAUSE TARGE		-	
Hazardous Material Information System (U.S.A.)	Health	*	2	,
	Flammability		1	-
	Physical hazards		0	

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

В

The customer is responsible for determining the PPE code for this material.

Validated on 11/2/2011.

CONTAINS MATERIAL

ANIMAL DATA.

16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue	: 11/2/2011.
Date of previous issue	: No previous validation.
Version	: 1
Prepared by	: Regulatory Department, Chemtool Inc.

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.